

# REMARKS

Applicants enclose herewith a replacement paper copy and a computer readable copy of the Sequence Listing. Applicants note that the paper copy of the Sequence Listing is already part of the Application as transmitted to the USPTO, and this paper copy is located immediately following the Figures. This original paper copy was paginated as page numbers 1 and 2. Applicants believe that the basis of the Notification is that this original paper copy was not numbered as part of the body of the Detailed Description, and that no computer readable copy was transmitted to the USPTO.


Applicants state that the contents of the enclosed replacement copy and computer readable copy of the Sequence Listing are identical to each other and to the content of the original paper copy of the Sequence Listing. However, Applicants note that the software used to create the replacement Sequence Listing is different from that used to create the original paper copy of the Sequence Listing.

Applicants believe that these remarks and amendments overcome the reported deficiencies.

# CONCLUSION

Applicants believe that all deficiencies reported in the Notification have been addressed and overcome by the present Response. If the Office believes that any deficiencies have not been sufficiently addressed or overcome, Applicants respectfully request notification and further explanation thereof.

Respectfully submitted,



Karen L. Kimble  
Registration No. 26,995  
Phone: (989) 636-1687

P. O. Box 1967  
Midland, MI 48641-1967

Enclosures: 3.5" disk with Sequence Listing  
Paper copy of Sequence Listing  
Copy of the Notification of Missing Requirements